

61


JUL 13 1995

## ENGINEERING DATA TRANSMITTAL

1.101 N! 12165

2. To: (Receiving Organization) Distribution		3. From: (Originating Organization) Characterization Plans, Coordination and Reports		4. Related EDT No.: N/A	
5. Proj./Prog./Dept./Div.: Tank 241-T-108/Waste Management/CPCR/Technical Basis Char.		6. Cog. Engr.: John H. Baldwin		7. Purchase Order No.: N/A	
8. Originator Remarks: This document is being released into the Supporting Document System for retrievability purposes.				9. Equip./Component No.: N/A	
				10. System/Bldg./Facility: N/A	
11. Receiver Remarks: For Release.				12. Major Assm. Dwg. No.: N/A	
				13. Permit/Permit Application No.: N/A	
				14. Required Response Date: 07/12/95	
15. DATA TRANSMITTED					
(A) Item No.	(B) Document/Drawing No.	(C) Sheet No.	(D) Rev. No.	(E) Title or Description of Data Transmitted	(F) Approval Designator
1	WHC-SD-WM-TP-367	N/A	0	Tank 241-T-108 Tank Characterization Plan	N/A
16. KEY					
Approval Designator (F)		Reason for Transmittal (G)		Disposition (H) & (I)	
E, S, Q, D or N/A (see WHC-CM-3-5, Sec.12.7)		1. Approval 4. Review 2. Release 5. Post-Review 3. Information 6. Dist. (Receipt Acknow. Required)		1. Approved 4. Reviewed no/comment 2. Approved w/comment 5. Reviewed w/comment 3. Disapproved w/comment 6. Receipt acknowledged	
(G)	(H)	17. SIGNATURE/DISTRIBUTION (See Approval Designator for required signatures)			
Reason	Disp.	(J) Name	(K) Signature	(L) Date	(M) MSIN
2	1	Cog.Eng. J.H. Baldwin	<i>John Baldwin</i>	7/12/95	
2	1	Cog. Mgr. J.G. Kristofski	<i>J.G. Kristofski</i>	7-12-95	
		QA			
		Safety			
		Env.			
18.		19.		20.	
A.E. Young <i>A.E. Young</i> Signature of EDT Originator		Authorized Representative Date for Receiving Organization		see Block 17 7-12-95 J.G. Kristofski Cognizant Manager Date	
				21. DOE APPROVAL (if required) Ctrl. No. <input type="checkbox"/> Approved <input type="checkbox"/> Approved w/comments <input type="checkbox"/> Disapproved w/comments	

BD-7400-172-2 (04/94) GEF097



BD-7400-172-1

## RELEASE AUTHORIZATION

**Document Number:** WHC-SD-WM-TP-367, REV 0

**Document Title:** Tank 241-T-108 Tank Characterization Plan


**Release Date:** 7/12/95

**This document was reviewed following the  
procedures described in WHC-CM-3-4 and is:**

**APPROVED FOR PUBLIC RELEASE**

**WHC Information Release Administration Specialist:**

  
Kara M. Broz

  
7/12/95

**TRADEMARK DISCLAIMER.** Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof or its contractors or subcontractors.

This report has been reproduced from the best available copy. Available in paper copy and microfiche. Printed in the United States of America. To obtain copies of this report, contact:

Westinghouse Hanford Company - Document Control Services  
P.O. Box 1970, Mailstop H6-08, Richland, WA 99352  
Telephone: (509) 372-2420; Fax: (509) 376-4989

# SUPPORTING DOCUMENT

1. Total Pages **9**

2. Title

Tank 241-T-108 Tank Characterization Plan

3. Number

WHC-SD-WM-TP-367

4. Rev No.

0

5. Key Words

Tank 241-T-108, Tank T-108, T-108, Tank Characterization Plan, TCP, Characterization, Plan, Characterization Plan

6. Author

Name: John H. Baldwin


*John Baldwin*  
Signature

Organization/Charge Code 75310/MDR21

7. Abstract

N/A

8. RELEASE STAMP



TANK 241-T-108  
TANK CHARACTERIZATION PLAN

Prepared for the U.S. Department of Energy  
Office of Environmental Restoration  
and Waste Management

# TABLE OF CONTENTS

1.0	INTRODUCTION . . . . .	1
2.0	PROGRAM ELEMENTS REQUIRING INFORMATION FOR 241-T-108 . . . . .	1
2.1	GENERAL SAFETY ISSUES . . . . .	1
2.2	SPECIFIC SAFETY ISSUES . . . . .	2
2.2.1	Ferrocyanide . . . . .	2
2.2.2	Organic . . . . .	2
2.2.3	High Heat . . . . .	2
2.2.4	Flammable Gas . . . . .	2
2.2.5	Vapor . . . . .	2
2.2.6	Criticality . . . . .	2
2.3	CONTINUING OPERATIONS . . . . .	2
2.2.1	Compatibility/Stabilization . . . . .	2
2.2.2	Evaporator . . . . .	2
2.4	DOUBLE-SHELL TANK WASTE ANALYSIS PLAN . . . . .	3
2.5	DISPOSAL . . . . .	3
2.5.1	Retrieval . . . . .	3
2.5.2	Pretreatment/Vitrification . . . . .	3
2.6	HISTORICAL MODEL EVALUATION . . . . .	3
3.0	HOW INFORMATION WILL BE OBTAINED . . . . .	4
4.0	WHEN INFORMATION IS NEEDED . . . . .	4
5.0	PRIORITY OF INFORMATION REQUIREMENTS . . . . .	4
6.0	REFERENCES . . . . .	5

## LIST OF TABLES

Table 5-1:	Integrated DQO Requirements . . . . .	4
------------	---------------------------------------	---

LIST OF ABBREVIATIONS

DQO	Data Quality Objective
DSSF	Double Shell Slurry Feed
NCPLX	Non-complexed
SST	Single-Shell Tank
T-108	Tank 241-T-108
TCP	Tank Characterization Plan
TOC	Total Organic Carbon
USQ	Unreviewed Safety Question
WHC	Westinghouse Hanford Company

## 1.0 INTRODUCTION

This Tank Characterization Plan (TCP) identifies the information needed to address relevant issues concerning short-term and long-term safe storage and long-term management of Single-Shell Tank 241-T-108 (T-108). It should be understood that the various needs and issues surrounding tank T-108 are evolving as new information about the tank is uncovered. As a result of this progression, this Tank Characterization Plan addresses only the issues that, to this date, have been identified. It is expected that deviations from this plan may occur as additional issues or needs arise which impact the management of SST T-108. As necessary, this Tank Characterization Plan will be revised to reflect those changes or deviations.

This tank is not on any Watch list. Near-term sampling and analysis activities are focused on either verification of the non-watchlist tank status, identification of any new safety issues or changing the non-Watch List status. Should any safety issues be identified additional analysis will occur consistent with the identified issue.

In addition to the resolution of the safety issues, it is intended that all tank waste will be subject to pretreatment and retrieval to prepare for final storage or disposal. Presently, these long-range plans have yet to be fully identified and are, therefore, not included in this document.

## 2.0 PROGRAM ELEMENTS REQUIRING INFORMATION FOR TANK 241-T-108

This section identifies the various program elements, and identifies which of these programs require characterization data from tank T-108.

### 2.1 GENERAL SAFETY ISSUES

Tank T-108 was put into service in September 1945. Initially tank T-108 began filling with first cycle decontamination waste from the cascade overflow line connected to Tank 241-T-107. Presently, the tank waste is classified as non-complexed. This tank currently contains waste with a total waste volume of 167 kL (44 kgal), which is equivalent to 29 centimeters (11.5 inches) of waste as measured from the baseline of the tank. The waste is comprised of 87 kL (23 kgal) of saltcake and 79 kL (21 kgal) of sludge with no pumpable liquid remaining (Brevick 1994a).

The tank has been declared an assumed leaker and was removed from service in 1974. Tank T-108 is passively ventilated and was administratively interim stabilized in August 1978 with intrusion prevention completed in 1981. The last photo was taken on July 29, 1984. The last solids volume update was obtained on April 28, 1982 (Hanlon 1995).

The *Tank Safety Screening Data Quality Objective* (Babad and Redus 1994) describes the sampling and analytical requirements that are used to screen waste tanks for unidentified safety issues. The primary analytical requirements for the safety screening of a tank are energetics, total alpha activity, moisture content, and flammable gas concentration.

## 2.2 SPECIFIC SAFETY ISSUES

### 2.2.1 Ferrocyanide

This tank is not on the Ferrocyanide Watch List and; therefore, no information needs are currently identified for this program element.

### 2.2.2 Organic

Tank T-108 is not on the Organics Watch List and; therefore, no information needs are currently identified for this program element.

### 2.2.3 High Heat

This tank is not on the High Heat Watch List and; therefore, no information needs are currently identified for this program element.

### 2.2.4 Flammable Gas

This tank is not on the Flammable Gas Watch List and; therefore, no information needs are currently identified for this program element.

### 2.2.5 Vapor

The tanks currently scheduled to be vapor sampled may be classified into four categories: (1) those tanks which are to be rotary mode core sampled (as a consequence of the rotary sampling system); (2) tanks on the Organic or Ferrocyanide Watch Lists; (3) tanks in C farm; and (4) tank BX-104, due to vapor exposure. Since tank T-108 is NOT categorized in one of the above four groups and; therefore, vapor sampling is not required for this tank.

### 2.2.6 Criticality

No information separate from that for the general safety issue of tank T-108 are currently identified for this program element. However, if the general safety screening of tank T-108 identifies a potential criticality concern, analyses for fissile materials and neutron absorbers and poisons will be performed as identified in the safety screening data quality objective.

## 2.3 CONTINUING OPERATIONS

### 2.3.1 Compatibility/Stabilization

No information needs are currently identified for this program element.

### 2.3.2 Evaporator

No information needs are currently identified for this program element.



## 2.4 DOUBLE-SHELL TANK WASTE ANALYSIS PLAN

No information needs are currently identified for this program element, although work to identify these needs is in progress and expected to be completed in fiscal year 1995.

## 2.5 DISPOSAL

### 2.5.1 Retrieval

Long-range planning for retrieval needs are currently under development. Short-term data needs do not include tank T-108.

### 2.5.2 Pretreatment/Vitrification

Long-range planning for disposal needs are currently under development as testing for bounding tanks is performed.

## 2.6 HISTORICAL MODEL EVALUATION

Bounding tanks and data requirements for historical model evaluations are found in DQO *Historical Model Evaluation Data Requirements* (Simpson 1995). Tank T-108 has been identified as a primary bounding tank for T1 salt cake.

### 3.0 HOW INFORMATION WILL BE OBTAINED

The safety screening DQO requires that a vertical profile of the tank waste be obtained from at least two widely spaced risers. This vertical profile may be obtained using core, auger (for shallow tanks), or grab samples. Only an auger sampling event is scheduled and required. The auger sampling type has been chosen over other sampling modes due to both the depth of the tank (T-108 is a shallow tank making rotary core sampling unnecessary) and the fact that the surface of tank T-108 is comprised saltcake.

### 4.0 WHEN INFORMATION IS NEEDED

Data requirements for this section will be determined in the near future.

### 5.0 PRIORITY OF INFORMATION REQUIREMENTS

Vapor sampling was completed on January 18, 1995 (Stanton 1995). Auger sampling is scheduled for FY 1995 (Stanton 1995).

Table 5-1: Integrated DQO Requirements

Sampling Event	Applicable DQO	Sampling Requirements	Analytical Requirements
Auger Sampling	-Safety Screening DQO -Historical Model DQO	Auger samples from 3 risers separated radially to the maximum extent possible	Energetics, Moisture, Total Alpha, Metals, Anions except oxalate

## 6.0 REFERENCES

Brevick, C. H., 1994a. *Historical Tank Content Estimate for the Northwest Quadrant of the Hanford 200 West Areas*, WHC-SD-W-ER-351, Rev. 0a, ICF Kaiser Hanford Company, Richland, Washington.

Hanlon, B.M., 1995, *Waste Tank Summary for Month Ending January, 1995*, WHC-EP-0182-82, Westinghouse Hanford Company, Richland, Washington.

Redus, K.S., H. Babad, 1994, *Tank Safety Screening Data Quality Objective*, WHC-SD-WM-SP-004, Westinghouse Hanford Company, Richland, Washington.

Simpson, B. C., D. J. McCain, 1995, *Historical Model Evaluation Data Requirements*, WHC-SD-WM-DQO-018, Rev. 0, Westinghouse Hanford Company, Richland, Washington.

Stanton, G. A., 1995, *Baseline Sampling Schedule, Revision 4.3*, (internal memo 74320-95-04, to distribution, March 24, 1995), Westinghouse Hanford Company, Richland, Washington.

# DISTRIBUTION SHEET

To	From	Page 1 of 2
Distribution	Characterization Plans, Coordination and Reports	Date 07/12/95
Project Title/Work Order		EDT No. EDT-612165
WHC-SD-WM-TP-367, Rev. 0, "Tank 241-T-108 Tank Characterization Plan"		ECN No. N/A

Name	MSIN	Text With All Attach.	Text Only	Attach./Appendix Only	EDT/ECN Only
------	------	-----------------------	-----------	-----------------------	--------------

## ONSITE

### U. S. Department of Energy - Richland Field Office

C. A. Babel	S7-54	X
W. Liou	S7-54	X
N. W. Willis	S7-54	X

### MACTEC

J. P. Haney	S7-73	X
-------------	-------	---

### ICF KAISER

L. A. Gaddis	S3-09	X
--------------	-------	---

### Pacific Northwest Laboratories

S. G. McKinley	P7-22	X
----------------	-------	---

### Westinghouse Hanford Company

R. Akita	T6-20	X
J. H. Baldwin	T6-07	X
R. N. Campeau	S7-04	X
K. K. Cutsforth	S1-57	X
T. F. Dale	T6-20	X
S. J. Eberlein	R2-12	X
G. D. Forehand	S7-31	X
R. K. Fuller	T6-31	X
V. W. Hall	H4-19	X
W. J. Kennedy	S7-03	X
J. G. Kristofzski	T6-06	X
J. S. Lee	S7-03	X
A. D. Olguin	S7-04	X
A. D. Rice	T6-06	X
R. D. Schreiber	R2-12	X
R. H. Stubbs	S7-12	X
C. L. Thomas	H4-19	X
T. C. Tribble	S1-57	X
D. A. Turner	S7-15	X
M. D. Webb	H4-25	X
Central Files	A3-88	X

T.C.R.C.	R2-12	X
----------	-------	---

## DISTRIBUTION SHEET

To Distribution	From Characterization Plans, Coordination and Reports	Page 2 of 2			
		Date      07/12/95			
Project Title/Work Order WHC-SD-WM-TP-367, Rev. 0, "Tank 241-T-108 Tank Characterization Plan"		EDT No.   EDT-612165			
		ECN No.   N/A			
Name	MSIN	Text With All Attach.	Text Only	Attach./ Appendix Only	EDT/ECN Only

OFFSITE

U. S. Department of Energy - Headquarters  
Office of Environmental Restoration and  
Waste Management EM-563  
12800 Middlebrook Road  
Germantown, MD 20874

K. T. Lang	X
J. A. Poppiti	X

Los Alamos Technical Associates  
750 Swift, Suite 14  
Richland, WA 99352

A. T. Dicenso	X
C. J. Lindquist	X
T. T. Tran	X
G. P. Westleigh	X